
Reduction of systematic errors in climate models : model improvement versus tuning of free parameters.

F. Hourdin, C. Rio*, I. Musat, F. Couvreux, D. Williamson and the LMDZ team.


(LMD/IPSL, CNRM, Exeter Univ)


* awarded in 2016, WCRP/WWRP/WGNE International Prize for Model Development

Coordinating the development of the IPSL-CM atmospheric component LMDZ for CMIP3, CMIP5 and CMIP6....



The way I probably dreamed my role as an Atlas of climate modeling at the beginning...





L'art et la science de l'ajustement des modèles de climat : de la théorie à la pratique

18 décembre 2025






IV. Evolution of model development and tuning strategy

SCM/LES

New parameterizations Insipiration Developpement Assesment

New for IPSL CM6 tuning

Systematic tests in 1D of new set of free parameters



3D simulations nudged by ERAI winds

Test new parameterizations coupled to the continental surface and ocean without biaises that come from large scale dynamics.

Direct comparison with in situ observations
Poster by Binta Diallo et al.

3D Atm. Imposed SST

Tuning of atmospheric balance Latitudinal variation of fluxes Mean rainfall

Rainfall varaibility

Eastern and Southern ocean flux biases

Continental temperature

For the "happy Sisyphus": Makes the synthesis more difficult!

Define constraints for the atmosphere alone model

And much more people involved!

3D coupled Atm./Ocean

Conservation Coupled properties Enso, THC, sea ice

SCM/LES

New parameterizations Insipiration Developpement Assesment **New** for IPSL CM6 tuning (for CMIP6)

3D simulations
With imposed large scale circulation (wind nudging)

Systematic tests in 1D of new set of free parameters

3D Atm. Imposed SST

Tuning of atmospheric balance Latitudinal variation of fluxes Mean rainfall Increased number of metrics

- 663 Mutli-atlas (diagnostic suite rich and heterogeneous)

- 2400 simulations: forced 2-30 years, coupled 50-300 yrs

And much more people involved!

Define constraints for the atmosphere alone model

SCM/LES

New parameterizations Insipiration Developpement Assesment **New** for IPSL CM6 tuning (for CMIP6)


+

3D simulations
With imposed large scale circulation
(wind nudging)

Systematic tests in 1D of new set of free parameters

3D Atm. Imposed SST

Tuning of atmospheric balance Latitudinal variation of fluxes Mean rainfall Increased number of metrics



Coordintate successive versions of CMIP atm. models like Sysiphus ("We must imagine happy sisyphus", A. Camus)

- 663 Mutli-atlas (diagnostic suite rich and heterogeneous)
- 2400 simulations: forced 2-30 years, coupled 50-300 yrs

And much more people involved!

Define constraints for the atmosphere alone model

SCM/LES


New parameterizations Insipiration Developpement Assesment **New** for IPSL CM6 tuning (for CMIP6)

3D simulations
With imposed large scale circulation
(wind nudging)

Systematic tests in 1D of new set of free parameters

3D Atm. Imposed SST

Tuning of atmospheric balance Latitudinal variation of fluxes Mean rainfall Increased number of metrics



For the "happy Sisyphus": Makes the synthesis more difficult!

- 663 Mutli-atlas (diagnostic suite rich and heterogeneous)

- 2400 simulations: forced 2-30 years, coupled 50-300 yrs

And much more people involved!

Define constraints for the atmosphere alone model

3D coupled Atm./Ocean Conservation Coupled properties

Enso, THC, sea ice

SCM/LES


New parameterizations Insipiration Developpement Assesment **New** for IPSL CM6 tuning (for CMIP6)

3D simulations
With imposed large scale circulation
(wind nudging)

Systematic tests in 1D of new set of free parameters

3D Atm. Imposed SST

Tuning of atmospheric balance Latitudinal variation of fluxes Mean rainfall Increased number of metrics



For the "happy Sisyphus": Makes the synthesis more difficult!

- 663 Mutli-atlas (diagnostic suite rich and heterogeneous)

- 2400 simulations: forced 2-30 years, coupled 50-300 yrs

And much more people involved!

Define constraints for the atmosphere alone model

3D coupled Atm./Ocean Conservation

Coupled properties Enso, THC, sea ice

SCM/LES


New parameterizations Insipiration Developpement Assesment **New** for IPSL CM6 tuning (for CMIP6)

3D simulations
With imposed large scale circulation
(wind nudging)

Systematic tests in 1D of new set of free parameters

3D Atm. Imposed SST

Tuning of atmospheric balance Latitudinal variation of fluxes Mean rainfall Increased number of metrics



For the "happy Sisyphus": Makes the synthesis more difficult!

- 663 Mutli-atlas (diagnostic suite rich and heterogeneous)

- 2400 simulations: forced 2-30 years, coupled 50-300 yrs

And much more people involved!

Define constraints for the atmosphere alone model

SCM/LES

New parameterizations Insipiration Developpement Assesment **New** for IPSL CM6 tuning (for CMIP6)

3D simulations
With imposed large
scale circulation
(wind nudging)

Systematic tests in 1D of new set of free parameters

3D Atm. Imposed SST

Tuning of atmospheric balance Latitudinal variation of fluxes Mean rainfall Increased number of metrics

For the "happy Sisyphus": Makes the synthesis more difficult!

- 663 Mutli-atlas (diagnostic suite rich and heterogeneous)

- 2400 simulations: forced 2-30 years, coupled 50-300 yrs

And much more people involved!

Define constraints for the atmosphere alone model

SCM/LES


New parameterizations Insipiration Developpement Assesment **New** for IPSL CM6 tuning (for CMIP6)

3D simulations
With imposed large
scale circulation
(wind nudging)

Systematic tests in 1D of new set of free parameters

3D Atm. Imposed SST

Tuning of atmospheric balance Latitudinal variation of fluxes Mean rainfall Increased number of metrics



For the "happy Sisyphus": Makes the synthesis more difficult!

- 663 Mutli-atlas (diagnostic suite rich and heterogeneous)

- 2400 simulations: forced 2-30 years, coupled 50-300 yrs

And much more people involved!

Define constraints for the atmosphere alone model



Promote more objective and « agile » methods Collective work

Disponibilité de configurations multiples mise en œuvre en enseignement

Automatisation des post-traitements Tuning automatique (émulateurs)

