

The physical parametrizations in LMDZ

LMD

Laboratoire de Météorologie Dynamique

Atmospheric GCM equations (samples)

Dynamic equations in Pressure coordinates

$$\left\{ \begin{array}{l} \partial_t \vec{V} = -(\vec{V} \cdot \vec{\nabla}) \vec{V} - \omega \partial_p \vec{V} - \vec{\nabla} \Phi - f \vec{k} \times \tilde{\vec{V}} + \tilde{S}_v \\ \qquad \text{transport} \qquad \text{gravité} \qquad \text{Coriolis} \qquad \qquad \qquad + \tilde{S}_v \\ \vec{\nabla} \cdot \vec{V} + \partial_p \omega = 0 \\ \partial_t q = -\vec{V} \cdot \vec{\nabla} q - \omega \partial_p q + S_q \end{array} \right. \quad \left\{ \begin{array}{l} \Phi = gz \quad \text{geopotential} \\ \omega = \partial_t p \quad \text{vert. velocity} \\ q = \text{specific humidity} \end{array} \right. \quad (1)$$

Sources

\vec{S}_v and S_q : source terms determined by **physical parametrizations** :

- planetary boundary layer
- deep convection (big cumulus and cumulonimbus)
- clouds
- radiative processes
- orography
- soil

Basic facts about parametrizations

- Each parametrization : (1) works almost independently of the others ;
(2) depends on vertical profiles of u, v, w, T, q and on some interface variables with the other parametrizations ; (3) ignores the spatial heterogeneities associated with the other processes (except with the wakes).
- The total tendency due to sub-grid processes is the sum of the tendencies due to each process :

$$S_T = (\partial_t T)_\varphi = (\partial_t T)_{\text{eva}} + (\partial_t T)_{\text{lsc}} + (\partial_t T)_{\text{diff turb}} + (\partial_t T)_{\text{conv}} \\ + (\partial_t T)_{\text{wk}} + (\partial_t T)_{\text{Th}} + (\partial_t T)_{\text{ajs}} + (\partial_t T)_{\text{rad}} + (\partial_t T)_{\text{oro}}$$

physiq.F structure - I

Initialization (once) : *phyetato, phys_output_open*

Beginning *change_srf_frac, solarlong, cloud water evap.*

Vertical diffusion (turbulent mixing) *pbl_surface*

Deep convection *conflx* (Tiedtke) or *conclv* (Emanuel) or
conema3 (Emanuel old)

Deep convection clouds *clouds_gno*

Density currents (wakes) *calwake*

Strato-cumulus *stratocu_if*

Thermal plumes *calltherm* and *ajsec* (sec = dry)

Thermal plume clouds *clouds_gno*

Large scale condensation *fisrtlp*

Diagnostic clouds for Tiedtke *diagcld1*

Aerosols *readaerosol_optic*

Stratiform clouds *diagcld2*

Cloud optical parameters *newmicro* or *nuage*

Radiative processes *radlwsw* (bis)

In blue : subroutines and instructions modifying state
variables

physiq.F structure - II

Orographic processes : **drag** *drag_noro_strato* or
drag_noro

Orographic processes : **lift** *lift_noro_strato* or *lift_noro*

Orographic processes : **GW breaking** *hines_gwd*

???? Axial components of angular momentum and
mountain torque : *aaam_bud*

Cosp simulator *phys_cosp*

Tracers *phytrac*

Tracers off-line *phystokenc*

Water and energy transport *transp* and *transp_lay*

Outputs

Statistics

Output of final state (for restart) *phyredem*

Turbulent diffusion

- Turbulent diffusion or "**turbulent mixing**" : transport by small random movements. Similar to molecular diffusion.

$$Dq/Dt = S_q \quad \text{où} \quad S_q = \frac{\partial}{\partial z} \left(K_z \frac{\partial q}{\partial z} \right)$$

- **Prandtl mixing length** : $K_z = l |w|$
 l : characteristic length of the small movements
 w : characteristic velocity
- **Turbulent kinetic energy (TKE)** : $K_z = l \sqrt{e}$

$$De/Dt = f(dU/dz, d\theta/dz, e, \dots)$$

$$Dl/Dt = \dots$$

TWPice average



Vertical diffusion

Tendencies :


$dtvdf$, $dqvdf$, $duvdf$, $dvvdf$

Other variables

- sens : sensible heat flux at the surface (positive upward)
- evap : water vapour flux at the surface (positive upward)
- flat : latent heat flux at the surface (positive downward)
- taux, tauy : wind stress at the surface



Emanuel scheme



Deep convection



Tendencies :

dtcon, dqcon, ducon, dvcon

Other variables

- pluc : convective precipitation at the surface
- ftd : temperature tendency due to the sole unsaturated downdraughts
- fqd : moisture tendency due to the sole unsaturated downdraughts
- clwcon : condensed water of convective clouds
("in cloud" condensed water content)
- Ma : mass flux of the adiabatic ascent
- upwd : mass flux of the saturated updraughts
- dnwd : mass flux of the saturated downdraughts
- dnwd0 : mass flux of the unsaturated downdraught (precipitating downdraught)
- Vprecip : vertical profile of convective precipitation

TWPice average




Deep convection




Tendencies :

dtcon, dqcon, ducon, dvcon

Other variables

- pluc : convective precipitation at the surface
- ftd : temperature tendency due to the sole unsaturated downdraughts
- fqd : moisture tendency due to the sole unsaturated downdraughts
- clwcon : condensed water of convective clouds
("in cloud" condensed water content)
- Ma : mass flux of the adiabatic ascent
- upwd : mass flux of the saturated updraughts
- dnwd : mass flux of the saturated downdraughts
- dnwd0 : mass flux of the unsaturated downdraught (precipitating downdraught)
- Vprecip : vertical profile of convective precipitation








Mali, August 2004
F. Guichard, L. Kergoat

Simulated wake properties

HAPEX92: 21 Aug 1992 squall line case



TOGA-COARE: 22 Feb 1993 squall line case




Cold pools (wakes)

Tendencies :

dtwak, dqwak

Other variables

- Alp_wk : lifting power due to cold pools
- Ale_wk : lifting energy due to cold pools
- wake_s : fractional area of cold pools
- wake_h : cold pool height
- wape : WAke Potential Energy
- wake_deltat : vertical profile of temperature difference $T_w - T_x$
- wake_deltaq : vertical profile of humidity difference $q_w - q_x$
- wake_omg : vertical profile of vertical velocity difference $\omega_w - \omega_x$



Orography

Tendencies :

dtoro, duoro, dvoro : tendencies of temperature and velocity due to the drag

dtlif, dulif, dvlif : tendencies of temperature and velocity due to the lift

Total tendencies are the sums of the drag and lift tendencies.

Large scale condensation (evap & lsc)

Tendencies :



dteva, dqeva : tendencies due to cloud water evaporation
 dtlsc, dqlsc : tendencies due to cloud water condensation

Total tendencies are the sums of the evaporation and condensation tendencies.

Other variables

- plul : so called "large scale" or "stratiform" precipitation ; encompasses both stratiform precipitation and boundary layer cumulus precipitation.
- rneb : cloud cover

TWPice average



Radiation


Tendencies :

dtswr, dtlwr Temperature tendencies due to solar radiation (SW = short wave) and thermal infra-red (LW = long wave)

The total radiative tendency is the sum of the SW and LW tendencies.

Other variables

- dtsw0 : clear sky SW tendency
- dtlw0 : clear sky LW tendency
- tops : net solar radiation at top of atmosphere
- topl : net infra-red radiation at top of atmosphere
- tops0, topl0 : same for clear sky
- sols : net solar radiation at surface
- soll : net infra-red radiation at surface
- sols0, soll0 : same for clear sky




Thermals and dry adjustment

Tendencies :

$dtthe$, $dqthe$, $duthe$, $dvthe$

Other variables

- $dtajs$: temperature tendency due to the sole dry adjustment
- $dqajs$: humidity tendency due to the sole dry adjustment
- a_{th} : fractional area of thermal plumes
- d_{th} : detrainment
- e_{th} : entrainment
- f_{th} : mass flux
- w_{th} : vertical velocity in the thermal plume (m/s, positive upward)
- q_{th} : total water content in the thermal plume
- $zmax_{th}$: altitude of the top of the thermal plume (m)



LMD	IPCC/AR4	Nouvelle physique
Couche limite	Diffusion turbulente + Contre gradient (Louis/Laval)	Diffusion turbulente (Mellor et Yamada) + Schéma en flux de masse couche limite convective (modèle du thermique)
Convection	Schéma en flux de masse d'Emanuel. Fermeture CAPE	Schéma d'Emanuel modifié. Decl./Fermeture en ALE/ALP Couplé au modèle du thermique + poches froides
Surface	Modèle Sechiba à 2 couches	Modèle Sechiba à 11 couches (Patricia de Rosnay)